

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the present application:

Listing of Claims:

Claim 1. (Canceled).

2. (Currently Amended) The corrosion protective lacquer according to claim [[1]] 10, wherein the protective substance includes at least one of a non-alkaline metal, a non-earth alkaline metal, an oxidizable metal ~~combination~~ compound of non-alkaline metals, an oxidizable metal compound of non-earth alkaline metals, phosphate and phosphorous.

3. (Currently Amended) The corrosion protective lacquer according to claim [[1]] 10, wherein the protective substance includes at least one of zinc, an oxidizable iron oxide, ~~FeO, at least mostly~~ and elemental aluminum ~~and at least mostly elemental aluminum in powder form.~~

4. (Currently Amended) The corrosion protective lacquer according to claim [[1]] 10, wherein the protective substance is in a proportion of at least 30% by volume.

5. (Currently Amended) The corrosion protective lacquer according to claim [[1]] 10, wherein the protective substance is in a proportion of at least 50% by volume.

6. (Currently Amended) The corrosion protective lacquer according to claim [[1]] 10, wherein the protective substance is in a proportion of at least 70% by volume.

7. (Currently Amended) The corrosion protective lacquer according to claim [[1]] 10, wherein a starting material of the corrosion protective lacquer includes ~~one of a normal clear lacquer and a tinted lacquer.~~

8. (Currently Amended) The corrosion protective lacquer according to claim ~~[[1]]~~ 10, wherein a starting material of the corrosion protective lacquer includes ~~a low proportion of~~ an organic solvent.

9. (Original) The corrosion protective lacquer according to claim 8, wherein the corrosion protective lacquer includes a water-based lacquer.

10. (Currently Amended) A ~~[[The]]~~ corrosion protective lacquer ~~according to claim 1, for producing a corrosion protective coating, comprising:~~

a protective substance configured to at least one of chemically react with oxygen and bind with oxygen;

wherein the protective substance has an average grain size that is substantially equal to at least one of a maximum roughness and an average size of score mark-size marks of ~~[[the]]~~ a braking surface of at least one of a brake disk and a brake drum.

Claim 11. (Canceled).

12. (Currently Amended) The corrosion protective coating according to claim ~~[[11]]~~ 17, wherein the protective substance includes at least one of a non-alkaline metal, a non-earth alkaline metal, an oxidizable metal compound, phosphate and phosphorous.

13. (Currently Amended) The corrosion protective coating according to claim ~~[[11]]~~ 17, wherein the protective substance includes at least one of zinc, oxidizable iron oxide, ~~FeO, at least mostly~~ and elemental aluminum ~~and at least mostly elemental aluminum in powder form.~~

14. (Currently Amended) The corrosion protective coating according to claim ~~[[11]]~~ 17, wherein the protective substance in the corrosion protective coating has a proportion of at least 30% by volume.

15. (Currently Amended) The corrosion protective coating according to claim ~~[[11]]~~ 17, wherein the protective substance in the corrosion protective coating has a proportion of at least 50% by volume.

16. (Currently Amended) The corrosion protective coating according to claim ~~[[11]]~~ 17, wherein the protective substance in the corrosion protective coating has a proportion of at least 70% by volume.

17. (Currently Amended) A ~~[[The]]~~ corrosion protective coating ~~according to claim 11, comprising:~~

a lacquer including a protective substance that at least one of chemically reacts with oxygen and binds with oxygen;

wherein the protective substance has an average grain size substantially equal to at least one of a maximum roughness, an average pore diameter and an average size of score mark-size marks of ~~[[the]]~~ a braking surface of at least one of a brake disk and a brake drum.

Claims 18 to 26. (Canceled).

27. (New) The corrosion protective lacquer according to claim 10, wherein a starting material of the corrosion protective lacquer includes a tinted lacquer.

28. (New) A brake device, comprising:

a corrosion protective coating including a protective substance configured to at least one of chemically react with oxygen and bind with oxygen and having an average grain size that is substantially equal to at least one of a maximum roughness and an average size of score marks of a braking surface of the brake device.

29. (New) The brake device according to claim 28, further comprising at least one of a brake disk and a brake drum, the corrosion protective coating applied to the at least one of the brake disk and the brake drum.

30. (New) A brake device, comprising:

a corrosion protective coating including a protective substance that at least one of chemically reacts with oxygen and binds with oxygen and that is configured to fill one of a pore and a score of average size on a braking surface of the brake device upon abrading the corrosion protective coating by a brake lining during braking.

31. (New) A corrosion protective coating, comprising:
a lacquer including a protective substance that at least one of chemically reacts with oxygen and binds with oxygen and that is configured to fill one of a pore and a score of average size on a braking surface of at least one of a brake disk and a brake drum upon abrading the corrosion protective coating by a brake lining during braking.